Contents

PART A

Preface vii
Committees ix

Section 1. Plenary and Invited Papers

Prospects and strategy for the development of fusion reactors, *S. Mori* 3
Global energy scenarios and the potential role of fusion energy in the 21st century, *R.S. Pease* 7
Properties and performance of tritium breeding ceramics, *N. Roux, C. Johnson and K. Noda* 15
BEATRIX-II: A multinational solid breeder materials experiment, *G.W. Hollenberg, H. Watanabe, I.J. Hastings and S.E. Berk* 23
Structural materials for high-heat flux applications, *V.V. Rybin and D.L. Smith* 30
The application of austenitic stainless steels in advanced fusion systems: . current limitations and future prospects, *A. Kohyama, M.L. Grossbeck and G. Piatti* 37
Search for low-erosion carbon materials, *J. Roth, C. Garcia-Rosales, R. Behrisch and W. Eckstein* 45
Deformation and fracture in irradiated austenitic stainless steels, *G.R. Odette and G.E. Lucas* 50
Radiation-induced changes in the physical properties of ceramic materials, *S.J. Zinkle and E.R. Hodgson* 58
Radiation-induced microstructural change in ceramic materials, *C. Kinoshita* 67
Composite materials for fusion applications, *R.H. Jones, C.H. Henager, Jr. and G.W. Hollenberg* 75
Vanadium alloys for structural applications in fusion systems: a review of vanadium alloy mechanical and physical properties, *B.A. Loomis and D.L. Smith* .. 84
Evaluation of reduced-activation options for fusion materials development, *D.R. Harries, G.J. Butterworth, A. Hishinuma and F.W. Wiffen* 92
The status and prospects of high-energy neutron test facilities for fusion materials development, *T. Kondo, D.G. Doran, K. Ehrlich and F.W. Wiffen* .. 100
Molecular dynamics studies of defect production and clustering in energetic displacement cascades in copper, *T. Diaz de la Rubia and W.J. Phythian* 108
Ferritic/martensitic steels: promises and problems, *R.L. Klueh, K. Ehrlich and F. Abe* 116
Influence of primary recoil energy spectrum on microstructural evolution, *M. Kiritani* 125
Compatibility of materials in fusion first wall and blanket structures cooled by liquid metals, *T. Flament, P. Tortorelli, V. Coen and H.U. Borgstedt* 132
Materials issues in the design of the ITER first wall, blanket, and divertor, *R.F. Mattas, D.L. Smith, C.H. Wu, T. Kuroda and G. Shatalov* 139

Section 2. Tritium Breeding Materials

2.1. Fabrication and properties

Measurements of the effective thermal conductivity of a bed of Li_4SiO_4 pebbles of 0.35–0.6 mm diameter and of a mixed bed of Li_4SiO_4 and aluminum pebbles, *M. Dalle Donne, A. Goraieb and G. Sordon* 149
Implications of beryllium : steam interactions in fusion reactors, *G.R. Smolik, B.J. Merrill and R.S. Wallace* 153
Compatibility test of Be with Li_2O (1) – diffusion couple test, *N. Sakamoto, H. Kawamura, E. Ishitsuka and Y. Ichihashi* 158
Compatibility of stainless steels and lithium based ceramics with beryllium, *T. Flament, D. Herpin, L. Feve and J. Sannier* 163
Compatibility behavior of beryllium with $LiAlO_2$ and Li_2ZrO_3 ceramics, with 316 L and 1.4914 steels in SIBELIUS, *N. Roux, J.J. Abassin, M. Briec, D. Cruz, T. Flament and I. Schuster* 168
Mass spectrometric study on the formation of LiOD (g) by reaction of Li_4SiO_4 (cr) with D_2O (g) or D_2 (g), *R.-D. Penzhorn, H.R. Ihle, S. Huber, P. Schuster and H.J. Ache* 173
Mechanical and microstructural properties of tritium permeable PdAg alloy after helium implantation, *R. Lindau, A. Möslang and R.-D. Penzhorn* 178
Surface characterization of hot-pressed beryllium with X-ray photoelectron spectroscopy, *E. Ishitsuka, H. Kawamura, K. Ashida, M. Matsuyama, K. Watanabe, H. Ando and Y. Futamura* 183

2.2. Irradiation and tritium transport and release

Preliminary interpretation of the LIBRETTO-2 experimental results in terms of tritium permeation barrier efficiency, *E. Proust, P. Leroy and H.W. Franenberg* 186
Transport of tritium in liquid lithium, *H. Moriyama, K. Iwasaki and Y. Ito* 190
Neutron damage in beryllium, *D.S. Gelles and H.L. Heinisch* 194
Management options for used lithium ceramic breeder materials, *J.H. Miles and G.J. Butterworth* 199
Effects of oxygen potential on tritium release from Li_2O, *D. Yamaki, S. Tanaka and M. Yamawaki* ... 204
Hydrogen transports through gas/liquid $Li_{17}Pb_{83}$ interface and metal membrane contacting the alloy, *S. Tanaka, M. Yamawaki, K. Yokoo, K. Kurita and R. Kiyose* 209
In situ tritium recovery from Li_2O irradiated in fast neutron flux – BEATRIX-II temperature change specimen, *O.D. Slagle, T. Kurasawa, R.A. Verrall and G.W. Hollenberg* 214

Hydrogen isotope permeability through austenitic steels 18Cr–10Ni–Ti and 16Cr–11Ni–3Mo–Ti during reactor irradiation, *B.G. Polosuhin, E.P. Baskakov, E.M. Sulimov, A.P. Zyryanov, Yu.S. Shestakov, G.M. Kalinin, Yu.S. Strebkov and A.G. Dobrynskih* 219
The behaviour of diffusion and permeation of tritium through 316L stainless steel with coating of TiC and TiN + TiC, *C. Shan, A. Wu, Y. Li, Z. Zhao, Q. Chen, Q. Huang and S. Shi* 221
LIPSIE device: Pb–17Li irradiation in water loop with on-line tritium measurements, *G. Thevenot, F. Lefevre, J. Estrade, M. Roche, T. Flament and A. Terlain* 226
Tritium release from lithium aluminate: can it be improved?, *J.P. Kopasz, C.A. Seils and C.E. Johnson* . 231
Temperature programmed desorption from $LiAlO_2$ treated with H_2, *A.K. Fischer* 236
Influence of grain-size and carbonate impurities on the tritium release from lithium orthosilicate, *H. Wedemeyer, H. Werle and E. Günther* 240
Irradiation behavior of $LiAlO_2$ and Li_2ZrO_3 ceramics in the ALICE 3 experiment, *B. Rasneur, G. Thevenot and Y. Bouilloux* 243
Radiation damage in pure and Al-doped Li_4SiO_4, *K. Noda, Y. Ishii, T. Nakazawa, H. Matsui, N. Igawa, D. Vollath, H. Ohno and H. Watanabe* 248
Tritium transport in lithium ceramics porous media, *S.W. Tam and V. Ambrose* 253
Recombination coefficients of deuterium on metal surfaces evaluated from ion-driven permeation, *T. Nagasaki, R. Yamada and H. Ohno* 258
Thermal absorption and desorption of deuterium in beryllium and beryllium oxide, *R.G. Macaulay-Newcombe, D.A. Thompson and W.W. Smeltzer* 263
In-situ luminescence measurement of lithium aluminate under ion beam irradiation, *Y. Asaoka, H. Moriyama, K. Iwasaki, K. Moritani and Y. Ito* 268

2.3. Liquid breeding materials

Tritium release behavior from molten lithium–lead alloy by permeation through stainless steel type 304, *T. Terai, K. Uozumi and Y. Takahashi* 272
Thermodynamic and experimental evaluation of the sensitivity of Pb–17Li breeder blankets to atmospheric contamination, *P. Hubberstey and T. Sample* 277
Is Pb–17Li really the eutectic alloy? A redetermination of the lead-rich section of the Pb–Li phase diagram ($0.0 < x_{Li}(at\%) < 22.1$), *P. Hubberstey, T. Sample and M.G. Barker* 283
Behavior of Po-210 in molten Pb–17Li, *H. Feuerstein, J. Oschinski and S. Horn* 288

Section 3. Plasma-Facing Components

3.1. Graphite and carbon–carbon composites

The effect of neutron irradiation on the structure and properties of carbon–carbon composite materials, *T.D. Burchell, W.P. Eatherly, J.M. Robbins and J.P. Strizak* 295
Thermal erosion behaviour of carbon and boron–carbon materials during simulated plasma disruptions, *H. Bolt, H. Madarame, T. Sukegawa and S. Tanaka* 300
Carbon-based materials thermal development testing and selection process for first wall and divertor applications, *D.A. Bowers and J.W. Sapp* 305
Resistance of carbon-based materials for the ITER divertor under different radiation fluxes, *T.A. Burtseva, O.K. Chugunov, E.F. Dovguchits, V.L. Komarov, I.V. Mazul, A.A. Mitrofansky, M.I. Persin, Yu.G. Prokofiev, V.A. Sokolov, E.I. Trofimchuk and L.P. Zav'jalsky* 309
Thermal wave characterization of plasma-facing materials by IR radiometry, *B.K. Bein, J. Gibkes, J.H. Gu, R. Hüttner, J. Pelzl, D.L. Balageas and A.A. Déom* 315
Microstructure and some properties of boron modified graphite USB-15, *V.N. Chernikov, V.Kh. Alimov, A.E. Gorodetsky, V.M. Sharapov, A.P. Zakharov and E.I. Kurolenkin* 320
Chemical interaction of hydrogen with graphite in regard of hydrogen recycling and chemical erosion of fusion reactor first wall material, *M. Yamawaki, K. Yamaguchi, M. Satoh and S. Tanaka* 326
On the characterization of graphite, *T. Tanabe, K. Niwase, N. Tsukuda and E. Kuramoto* 330
Annealing experiment of ion-irradiated graphite by laser Raman spectroscopy, *K. Niwase, T. Tanabe and I. Tanaka* 335
Thermal shock of carbon based materials and coatings under high heat flux, *J.P. Qian, X. Liu, P.Y. Li and Z. Guo* 340
In situ EELS observation of diamond during hydrogen-ion bombardment, *K.N. Kushita, K. Hojou, S. Furuno and H. Otsu* 346
Radiation damage of graphite due to hydrogen-ion bombardment at very low temperature, *K.N. Kushita, K. Hojou and S. Furuno* 351
Initial damage in graphite under ion irradiation studied by real-time Raman measurement, *M. Kitajima and K. Nakamura* 356
Thermal desorption spectroscopy of pyrolytic graphite cleavage faces after keV deuterium irradiation at 330–1000 K, *Y. Gotoh, T. Yamaki, K. Tokiguchi and H. Shimizu* 360
Initial erosion experiments in the steady state high flux plasma source MAP (materials and plasma), *H. Bolt and S. Tanaka* 364
Hydrogen solubility and diffusivity in neutron-irradiated graphite, *H. Atsumi, M. Iseki and T. Shikama* . 368
Experimental and analytical studies on thermal erosion of carbon-based materials with high thermal conductivity, *M. Akiba, M. Araki, S. Suzuki, H. Ise, K. Nakamura, K. Yokoyama, M. Dairaku and S. Tanaka* 373
Diffusion and retention of helium in graphite and silicon carbide, *P. Jung* 377
Thermal properties of carbon–boron–titanium compounds as plasma facing materials, *T. Tanabe, T. Baba, A. Ono, M. Fujitsuka, T. Shikama and H. Shinno* 382

3.2. Non-graphitic materials

Response of solute and precipitation strengthened copper alloys at high neutron exposure, *F.A. Garner, M.L. Hamilton, T. Shikama, D.J. Edwards and J.W. Newkirk* 386

Potential collector surface materials for divertors, *H.E. Prebble, C.B.A. Forty and G.J. Butterworth* 391
Void formation in neutron-irradiated Cu and Cu alloys, *K. Yamakawa, I. Mukouda and Y. Shimomura* 396
Radiation-resistant properties of copper alloys intended for fusion reactor applications, *I.V. Gorynin, S.A. Fabritsiev, V.V. Rybin, V.A. Kasakov, A.S. Pokrovskii, V.R. Barabash and Y.G. Prokofiyev* ... 401
Effects of neutron irradiation on structural stability and mechanical properties of copper alloys for ITER divertor, *E.V. Nesterova, V.V. Rybin, S.A. Fabritsiev and V.R. Barabash* 407
Microstructural evolution and swelling of copper alloys under ion irradiation, *V.R. Barabash, A.A. Gervash, A.N. Naberenkov, E.V. Nesterova, V.V. Rybin and S.A. Fabritsiev* 411
Irradiation performance of oxide dispersion strengthened copper alloys to 150 dpa at 415°C, *D.J. Edwards, K.R. Anderson, F.A. Garner, M.L. Hamilton, J.F. Stubbins and A.S. Kumar* 416
Effects of neutron irradiation on properties of refractory metals, *I.V. Gorynin, V.A. Ignatov, V.V. Rybin, S.A. Fabritsiev, V.A. Kazakov, V.P. Chakin, V.A. Tsykanov, V.R. Barabash and Y.G. Prokofyev* 421
Effects of neutron irradiation on physical and mechanical properties of Mo–Re alloys, *S.A. Fabritsiev, V.A. Gosudarenkova, V.A. Potapova, V.V. Rybin, L.S. Kosachev, V.P. Chakin, A.S. Pokrovsky and V.R. Barabash* 426
Hydrogen embrittlement considerations in niobium-base alloys for application in the ITER divertor, *D.T. Peterson, A.B. Hull and B.A. Loomis* 430
Deuterium interaction with impurities in tungsten studied with TDS, *H. Eleveld and A. van Veen* 433
Hydrogen permeation and diffusion in molybdenum, *T. Tanabe, Y. Yamanishi and S. Imoto* 439
Hydrogen permeation study with atomic hydrogen beam, *T. Tanabe* 444
Radiation damage induced by plasma exposures under long duration tokamak discharge in TRIAM-1M, *K. Tokunaga, T. Muroga, T. Fujiwara, K. Tawara, N. Yoshida, S. Itoh and the TRIAM Group* 449
Heat load material studies: simulated tokamak disruptions, *J.M. Gahl, J.M. McDonald, A. Zakharov, S. Tserevitinov, V. Barabash and M. Guseva* 454
Electron beam disruption simulation on coated materials, *G. Rigon and F. Brossa* 460
Enhanced resistance of plasma-sprayed TiC coatings to thermal shocks, *R.G. Saint-Jacques, F. Bordeaux, B. Stansfield, G. Veilleux, W.W. Zuzak, A. Lakhsasi, C. Boucher and C. Moreau* 465

3.3. Fabrication and analysis of plasma-facing components

Development of graphite/metals bondings for fusion reactor applications, *F. Brossa, E. Franconi and P. Schiller* 469
Stability of phosphorus intermetallic compounds during irradiation of nickel-based alloys used in brazings, *L. Boulanger, P. Bellon, Y. Serruys, N.V. Doan and G. Martin* 473
Stability of phases in joints brazed with Ni–P (BNi6) and Ni–Cr–P (BNi7) alloys under 300 keV Ni^+ ion irradiation, *G. Schumacher, N. Wanderka, R.P. Wahi and H. Wollenberger* 478
Some problems of brazing technology for the divertor plate manufacturing, *Yu.G. Prokofiev, V.R. Barabash, V.F. Khorunov, S.V. Maksimova, A.A. Gervash, S.A. Fabritsiev and V.F. Vinokurov* 483
Brazing of copper–alumina alloys, *C.K. Lee, B.A. Chin, S. Zinkle and R.C. Wilcox* 488
Development of beryllium bonds for plasma-facing components, *E. Franconi, G.C. Ceccotti and L. Magnoli* 493
Analysis of sweeping heat loads on divertor plate materials, *A. Hassanein* 499
Thermal response of substrate structural materials during a plasma disruption, *A. Hassanein and D.L. Smith* 503
Plasma deposited boronized carbon films, *V.M. Sharapov, A.I. Kanaev, A.P. Zakharov and A.E. Gorodetsky* 508

Section 4. Ceramic and Composite Materials

4.1. Microstructure and properties

High-temperature mechanical and material design for SiC composites, *N.M. Ghoniem* 515
Potential for use of high-temperature superconductors in fusion reactors, *J.R. Hull* 520
Fabrication and physical properties of AlF_3–BeF_2 based fluoride glasses for IR transmission, *H. Ohno, N. Igawa, Y. Ishii, N. Umesaki and M. Tokita* 525
New potentials for high mechanical strength grades of polycrystalline alumina for EC waves windows, *A. Ibarra, R. Heidinger and J. Mollá* 530
An intercomparison of techniques for measuring dielectric permittivity and loss over a wide frequency range, *G.P. Pells, R. Heidinger, A. Ibarra-Sanchez, H. Ohno and R.H. Goulding* 535
Microstructure and mechanical properties of CVI carbon fiber/SiC composites, *T. Noda, H. Araki, F. Abe and M. Okada* 539

4.2. Effects of irradiation on physical and mechanical properties

Study of radiation induced conductivity by ac-method in a fission reactor, *T. Shikama, M. Narui, Y. Endo, A. Ochiai and H. Kayano* 544
Radiation-induced conductivity in alumina from 100 Hz to 10 MHz during proton irradiation, *E.H. Farnum, J.C. Kennedy, F.W. Clinard and H.M. Frost* 548
Radiation enhanced electrical breakdown in fusion insulators from dc to 126 MHz, *E.R. Hodgson* 552
Reduction of the mechanical strength of Al_2O_3, AlN and SiC under neutron irradiation, *W. Dienst* 555
Radiation induced microstructure and mechanical property evolution of SiC/C/SiC composite materials, *L.L. Snead, S.J. Zinkle and D. Steiner* 560
Measurement of the effect of radiation damage to ceramic composite interfacial strength, *L.L. Snead, D. Steiner and S.J. Zinkle* 566

Electrotransport and radiation effects in alumina insulators during high temperature reactor applications, *R.H. Zee, W.Y. Wu and B.A. Chin* 571
Radiation induced conductivity of ceramic insulators measured in a fission reactor, *T. Shikama, M. Narui, Y. Endo, T. Sagawa and H. Kayano* 575
Electrical conductivity changes in silicon carbide under γ-ray irradiation, *S. Kasahara, Y. Katano, S. Shimanuki, K. Nakata and H. Ohno* 579
In-situ observation of damage evolution in SiC crystals during He^+ and H_2^+ dual-ion beam irradiation, *K. Hojou, S. Furuno, K.N. Kushita, H. Otsu and K. Izui* 583
X-ray line broadening in neutron irradiated silicon carbide, *T. Iseki, T. Yano and H. Miyazaki* 588
Development of irradiation small capsule for in-reactor measurement of electrical properties of fusion reactor materials, *M. Narui, T. Shikama, Y. Endo, T. Sagawa and H. Kayano* 592
Effects of Cr_2O_3 on electrical conductivity during γ-ray irradiation in single crystalline Al_2O_3, *Y. Katano, K. Nakata, S. Kasahara and H. Ohno* 598
Measurement of dielectric properties in ceramics under ionizing and displacive irradiation conditions, *R.E. Stoller, R.H. Goulding and S.J. Zinkle* 602
Linear stability analysis of helium-filled cavities in SiC, *H. Huang and N. Ghoniem* 607
Irradiation behavior of carbon–boron compounds and silicon carbide composites developed as fusion reactor materials, *T. Shikama, M. Fujitsuka, H. Araki, T. Noda, T. Tanabe and H. Shinno* 611
Effect of neutron irradiation on fracture toughness of metal matrix composites, *S. Sato, K. Hamada and A. Kohyama* 616

4.3. Effect of irradiation on microstructure

Radiation-induced swelling of polycrystalline alumina over the temperature range 200–890 K, *G.P. Pells and M.J. Murphy* 621
Lattice location and clustering of helium in ceramic oxides, *W.R. Allen and S.J. Zinkle* 625
Characteristics of the loop formation process in the $MgO–Al_2O_3$ system irradiated with fission neutrons, *K. Nakai, K.-i. Fukumoto and C. Kinoshita* . 630
Macroscopic length, lattice parameter and microstructural changes in neutron-irradiated aluminum nitride due to annealing, *T. Yano, M. Tezuka, H. Miyazaki and T. Iseki* 635
Defect formation in ion-irradiated Al_2O_3 and $MgAl_2O_4$: effects . of grain boundaries and fusion transmutation products, *R. Yamada, S.J. Zinkle and G.P. Pells* 640
Anisotropic dislocation loop nucleation in ion-irradiated $MgAl_2O_4$, *S.J. Zinkle* 645

PART B

Section 5. Structural Materials

5.1. Austenitic steels

5.1.1. Microstructure and properties

Measurement of hydrogen solubility, diffusivity and permeability in HR-1 stainless steel, *B.Q. Deng, Q.R. Huang, L.L. Peng, O. Mao, J.J. Du, Z. Lu and X.Z. Liu* 653
Phase stability of reduced-activation Mn-stabilized austenitic steels, *J.I. Cole, D.S. Gelles and J.J. Hoyt* 657
Microstructural and mechanical characterization of new low-activation Cr–Mn austenitic steels, *G. Piatti, D. Boerman and F.D.S. Marques* 662
High temperature strength of simple and solute-modified 10Cr–30Mn austenitic steels, *F. Abe, T. Noda, H. Araki and S. Nakazawa* 668
Thermal fatigue behavior and dislocation substructures of 316-type austenitic stainless steels, *A.F. Armas, I. Alvarez-Armas and C. Petersen* 672
The effect of temperature on the low cycle fatigue of type 316L stainless steel over the range 20–200°C, *T.E. Chung, M.R. Kalantary, R.G. Faulkner and J.-L. Boutard* 676
High temperature creep behaviour of 12Cr–20Mn–W austenitic stainless steel, *L.I. Ivanov, E.V. Dyomina, K. Milička and J. Čadec* 681
Influence of tungsten, carbon and nitrogen on toughness and weldability of low activation austenitic high manganese stainless steels, *Y. Hosoi, Y. Shimoide, M. Abraham, M. Kutsuna and K. Miyahara* . 686
Thick-section weldments in 21-6-9 and 316LN stainless steel for fusion energy applications, *D.J. Alexander and G.M. Goodwin* 691
Suppression of HAZ cracking during welding of helium-containing materials, *C.A. Wang, H.T. Lin, M.L. Grossbeck and B.A. Chin* 696

5.1.2. Radiation effects on microstructure and properties

Temperature dependence of the dislocation microstructure of PCA austenitic stainless steel irradiated in ORR spectrally-tailored experiments, *P.J. Maziasz* 701
Study of Fe–12Cr–20Mn–W–C austenitic steels irradiated in the SM-2 reactor, *V.K. Shamardin, T.M. Bulanova, V.S. Neustroyev, Z.E. Ostrovsky, V.M. Kosenkov, L.I. Ivanov and E.V. Djomina* 706
Microstructural evolution of austenitic stainless steels irradiated in spectrally tailored experiment in ORR at 400°C, *T. Sawai, P.J. Maziasz, H. Kanazawa and A. Hishinuma* 712
Effects of irradiation on the microstructure of INCONEL 600 alloy, *J.-J. Kai and R.D. Lee* 717
Microstructural changes in welded joints of 316 SS by dual-ion irradiation, *A. Kohyama, Y. Kohno, K. Baba, Y. Katoh and A. Hishinuma* 722
Microstructural changes of 316L stainless steel under energetic alpha particle and proton irradiation at 500°C, *J. Yu, Y. Chen, Q. Yang, Y. Shi, Y. Yao, X. Li and Y. Wang* 728
Electron irradiation induced structure-phase transformation in low radioactivation chromium–manganese steel, *L.I. Ivanov, L.N. Bystrov, Yu.M. Platov, V.M. Lazorenko, G.G. Bondarenko, O.M. Kasjanov and V.M. Ustinovshchikov* 733
The analysis of microstructure of helium bubbles in 316L SS induced by 3.02 MeV He ion irradiation, *K.Q. Chen, S.H. Yang, Z.G. Wang, J.G. Sun, J.M. Quan, L.W. Li and Y.M. Sun* 737

Microstructural evolution of titanium modified austenitic stainless steel after FFTF irradiation, *Y. Kohno, A. Kohyama and H. Kayano* 742
Multiple ion implantation effects on hardness and fatigue properties of Fe–13Cr–15Ni alloys, *G.R. Rao, E.H. Lee, L.A. Boatner, B.A. Chin and L.K. Mansur* 748
Helium effects on the post-implantation creep properties and the microstructure of AISI 316L welds and parent material, *Y. Dai and H. Schroeder* 754
Microscopic tritium behavior in ion-irradiated austenitic steels, *S. Yamamoto, Y. Ishida, N. Sekimura and M. Mori* 759
Fast neutron irradiation hardening of austenitic stainless steel at 250°C, *J.D. Elen and P. Fenici* 766
Tensile properties of austenitic stainless steels and their weld joints after irradiation by the ORR-spectrally-tailoring experiment, *S. Jitsukawa, P.J. Maziasz, T. Ishiyama, L.T. Gibson and A. Hishinuma* .. 771
Dependence of the tensile properties of 316 L parent material and welds on implanted hydrogen and/or helium, *H. Schroeder and W. Liu* 776
Helium concentration dependence of embrittlement effects in DIN 1.4970, 13% cw austenitic stainless steel at 873 K, *H. Schroeder and Y. Dai* 781
Mechanical properties and fracture behavior of α particle irradiated type 316 stainless steel at high temperature, *K. Miyahara, A. Itoh, Y. Sakamoto, H. Kayano and Y. Hosoi* 786
Stress–strain relations of irradiated stainless steels below 673 K, *S. Jitsukawa, M.L. Grossbeck and A. Hishinuma* 790
Cyclic endurance and thermocyclic damage of 0.04C–16Cr–11Ni–3Mo–0.05Ti steel unirradiated and neutron irradiated steel, *V.V. Rybin, V.F. Vinokurov, N.B. Odintsov, L.A. Belyaeva and L.G. Fedosova* 795
The interaction of fatigue and creep in weldments of AISI 316L austenitic steel after helium implantation, *M. Paulus, H. Schroeder and J. Deutz* 798
Determination of the creep compliance and creep–swelling coupling coefficient for neutron irradiated titanium-modified stainless steels at ~400°C, *M.B. Toloczko, F.A. Garner and C.R. Eiholzer* 803
Modeling of strengthening mechanisms in irradiated fusion reactor first wall alloys, *M.L. Grossbeck, P.J. Maziasz and A.F. Rowcliffe* 808
Irradiation and thermal creep of a titanium-modified austenitic stainless steel and its dependence on cold work level, *F.A. Garner, M.L. Hamilton, C.R. Eiholzer, M.B. Toloczko and A.S. Kumar* 813
The blistering of 316L stainless steel irradiated with energetic alpha particles at 500°C, *J. Yu, Y. Chen, Y. Shi, Q. Yang, Y. Yao and X. Li* 818

5.2. Ferritic steels

5.2.1. Microstructure and properties

Accumulation of engineering data for practical use of reduced activation ferritic steel: 8%Cr–2%W–0.2%V–0.04%Ta–Fe, *N. Yamanouchi, M. Tamura, H. Hayakawa, A. Hishinuma and T. Kondo* 822
On size and geometry effects on the brittle fracture of ferritic and tempered martensitic steels, *G.R. Odette, B.L. Chao and G.E. Lucas* 827
The weldability of low activation Cr–W steels, *C.A. Wang, R.L. Klueh and B.A. Chin* 831
Effects of temperature on the low cycle fatigue and microstructures of HT-9 ferritic steel, *H.J. Chang and J.J. Kai* 836
Dislocation substructures developed in martensitic steels under thermal fatigue, *I. Alvarez-Armas, A.F. Armas and C. Petersen* 841

5.2.2. Radiation effects on microstructure and properties

Tensile properties of neutron irradiated 9Cr–WVTa steels, *F. Abe, T. Noda, H. Araki, M. Narui and H. Kayano* 845
Effect of neutron irradiation on the dynamic fracture toughness behaviour of the 12% Cr steel MANET-I investigated using subsize V-notch specimens, *C. Wassilew and K. Ehrlich* 850
Radiation embrittlement and recovery annealing regularities of ITER blanket 9Cr steel, *Yu.I. Zvezdin, O.M. Vishkarev, G.A. Tulyakov, Yu.G. Magerya, V.A. Smirnov, I.A. Shenkova, I.V. Altovski, A.A. Grigoryan, V.K. Shamardin and U.M. Pecherin* 855
Irradiation-induced grain and lath boundary segregation in ferritic–martensitic steels, *R.G. Faulkner, E.A. Little and T.S. Morgan* 858
The tensile and fatigue properties of DIN 1.4914 martensitic stainless steel after 590 MeV proton irradiation, *P. Marmy and M. Victoria* 862
Irradiation response of a reduced activation Fe–8Cr–2W martensitic steel (F82H) after FFTF irradiation, *Y. Kohno, D.S. Gelles, A. Kohyama, M. Tamura and A. Hishinuma* 868
Microstructural change on electron irradiated oxide dispersion strengthened ferritic steels, *H. Kinoshita, N. Akasaka, H. Takahashi, I. Shibahara and S. Onose* 874
Effects of alloying elements on the post-irradiation microstructure of 9%Cr–2%W low activation martensitic steels, *A. Kimura, M. Narui and H. Kayano* 879
Irradiation induced changes in the grain boundary chemistry of high-manganese low activation martensitic steels, *A. Kimura, L.A. Charlot, D.S. Gelles, D.R. Baer and R.H. Jones* 885
The microstructure of the 1.4914 MANET martensitic steel before and after irradiation with 590 MeV protons, *D. Gavillet, P. Marmy and M. Victoria* ... 890
Heat treatment effects on toughness of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated at 365°C, *R.L. Klueh and D.J. Alexander* 896
Effect of neutron irradiation on the strength of electron beam welded JFMS steel, *K. Fujii, K. Ogawa and S. Kaga* 901
Tensile behavior and microstructure of the helium and hydrogen implanted 12% Cr-steel MANET, *K.K. Bae, K. Ehrlich and A. Möslang* 905
Helium implantation effects on low activation 9Cr martensitic steels, *A. Hasegawa and H. Shiraishi* .. 910
Behavior in fatigue-relaxation of a creep resistant 12% Cr steel after helium implantation, *R. Lindau and A. Möslang* 915

5.3. Vanadium alloys

5.3.1. Microstructure and properties

Embrittlement of vanadium alloys doped with helium, *H. Matsui, M. Tanaka, M. Yamamoto and M. Tada* 919
Vanadium alloys as structural materials for liquid lithium blanket of fusion reactors, *V.A. Evtikhin, I.E. Lyublinski, V.Yu. Pankratov and L.P. Zavyalski* 924

5.3.2. Radiation effects on microstructure and properties

Structural and phase changes and radiation damage in low-activation vanadium–titanium alloys on electron and neutron irradiation, *L.I. Ivanov, V.V. Ivanov, V.M. Lazorenko, Yu.M. Platov and V.I. Tovtin* 928
Microstructural investigation of helium and lithium effects in V–Ti alloys irradiated in FFTF by means of ^{10}B-doping, *H. Kawanishi, Y. Arai and S. Ishino* 933
Neutron irradiation damage of helium-charged V–Ti–Cr–Si-type alloys, *M. Satou, K. Abe and H. Matsui* 938
Correlation of microstructure and tensile and swelling behavior of neutron-irradiated vanadium alloys, *H.M. Chung and D.L. Smith* 942
High swelling rates observed in neutron-irradiated V–Cr and V–Si binary alloys, *F.A. Garner, D.S. Gelles, H. Takahashi, S. Ohnuki, H. Kinoshita and B.A. Loomis* 948
Effect of solute addition on swelling of vanadium after FFTF irradiation, *H. Nakajima, S. Yoshida, Y. Kohno and H. Matsui* 952
Low swelling behavior of V–Ti–Cr–Si-type alloys, *M. Satou, K. Abe, H. Kayano and H. Takahashi* 956

5.4. Environmental effects

5.4.1. Liquid metals

The effects of hydrogen and Pb–17Li on the tensile properties of 1.4914 martensitic steel, *T. Sample, V. Coen, H. Kolbe and L. Orecchia* 960
Dissolution kinetics of steels exposed in lead–lithium and lithium environments, *P.F. Tortorelli* 965
Behaviour of SS316, with and without aluminization, in stagnant Pb–17Li, *I. Schreinlechner and P. Sattler* . 970
Comparison of austenitic and martensitic steels behaviour in semi-stagnant Pb17Li, *J. Sannier, T. Dufrenoy, T. Flament and A. Terlain* 975
Selective surface preoxidation to inhibit the corrosion of AISI type 316L stainless steel by liquid Pb–17Li, *T. Sample, V. Coen, H. Kolbe and L. Orecchia* 979
Mass transfer of 316L steel in Pb17Li CLIPPER loop after 12000 hour running, *A. Terlain, T. Flament, T. Dufrenoy and J. Sannier* 984
The solubility of metals in Pb–17Li liquid alloy, *H.U. Borgstedt and H. Feuerstein* 988

5.4.2. Stress corrosion and aqueous corrosion

Corrosion behavior of stainless steels in aqueous salt blanket option solutions for ITER, *D.J. Duquette, K.L. Wrisley, E. Coomer and D. Steiner* 992
Effects of compositional modifications on the sensitization behavior of Fe–Cr–Mn steels, *G.L. Edgemon, P.F. Tortorelli and G.E.C. Bell* 997
Radiation effects on grain boundary chemistry relevant to stress corrosion cracking of stainless steels, *E.P. Simonen, R.H. Jones and S.M. Bruemmer* 1002
Stress corrosion cracking and intergranular corrosion of neutron irradiated austenitic stainless steels, *K. Fukuya, S. Shima, H. Kayano and M. Narui* 1007
Effect of gamma irradiation on stress corrosion behavior of austenitic stainless steel under ITER-relevant conditions, *R.H. Jones and C.H. Henager, Jr.* 1012
Radiation-induced sensitization of a titanium-modified austenitic stainless steel irradiated in a spectral-tailored experiment at 60–400°C, *T. Inazumi, G.E.C. Bell, P.J. Maziasz and T. Kondo* 1018

5.5. Test techniques, data storage and fabrication methods

Small specimen test techniques for the evaluation of toughness degradation, *M. Suzuki, M. Eto, Y. Nishiyama, K. Fukaya, M. Saito and T. Misawa* ... 1023
Development of a tensile test system for irradiated specimens by robot operation, *A. Okada, S. Igarashi and Y. Kakazu* 1028
R&D of an automated tensile machine for heavily neutron irradiated materials, *A. Kohyama, S. Sato and K. Hamada* 1033
An electric potential drop technique for characterizing part-through surface cracks, *M. Enmark, G. Lucas and G.R. Odette* 1038
Information and computer-aided system for structural materials, *Ju.G. Nekrashevitch, Sh.U. Nizametdinov, A.V. Polkovnikov, V.P. Rumjantzev, O.N. Surina, G.M. Kalinin, A.V. Sidorenkov and Ju.S. Strebkov* 1042
System design of pilot data-free-way (Distributed database for advanced nuclear materials), *H. Nakajima, N. Yokoyama, S. Nomura, F. Ueno, M. Fujita, Y. Kurihara and S. Iwata* 1046
Helium generation rates in isotopically tailored Fe–Cr–Ni alloys irradiated in FFTF/MOTA, *L.R. Greenwood, F.A. Garner and B.M. Oliver* 1051
Alloy preparation for studying the effect of hydrogen production during neutron irradiation using ^{54}Fe isotope, *M. Suzuki, A. Hishinuma, N. Yamanouchi, M. Tamura and A.F. Rowcliffe* 1056
On-line weld position control for fusion reactor welding, *S. Nagarajan, H.C. Wikle III and B.A. Chin* ... 1060

5.6. Miscellaneous materials

Permeation behavior of deuterium implanted into aluminium–lithium alloys, *T. Hayashi, K. Okuno and Y. Naruse* 1065
Restoration phenomena of Ti–Ni shape memory alloys in a neutron irradiation environment, *T. Hoshiya, S. Shimakawa, Y. Ichihashi and M. Nishikawa* 1070
Radiation resistance and parameters of activation of aluminium–magnesium–scandium and aluminium–magnesium–vanadium alloys under neutron irradiation, *L.I. Ivanov, V.V. Ivanov, V.M. Lazorenko, Yu.M. Platov, V.I. Tovtin and L.S. Toropova* 1075

Section 6. Radiation Effects on Microstructure

6.1. Primary damage and collision cascades

Molecular dynamics and binary collision modeling of the primary damage state of collision cascades, *H.L. Heinisch and B.N. Singh* 1083
The variation of the cascade localization induced bias effect with material parameters and irradiation conditions, *T. Yoshiie and M. Kiritani* 1088
Analytical description of disordering during cascade evolution in ordered intermetallics, *C. Abromeit and H. Wollenberger* 1092
The impact of spectral effects in fast reactors on data analysis and development of fission–fusion correlations, *L.R. Greenwood, F.A. Garner and H.L. Heinisch* 1096
Binary collision calculation of subcascade structure and its correspondence to observed subcascade defects in 14 MeV neutron irradiated copper, *Y. Satoh, T. Yoshiie and M. Kiritani* 1101
Nonlinear effect of atomic displacements and created defects in irradiation cascades, *N.V. Doan, F. Rossi and L. Boulanger* 1106
Molecular dynamics study of the displacement threshold surfaces and the stability of Frenkel pairs in β-SiC, *A. El-Azab and N.M. Ghoniem* 1110

6.2. Defect clusters from cascades

Low dose fission neutron irradiation on P- and Ti-modified austenitic alloys with improved temperature control, *N. Yoshida, Q. Xu, H. Watanabe, T. Muroga and M. Kiritani* 1114
Accumulation processes of cascade damage under heavy ion irradiation, *Y. Kanzaki, N. Sekimura and S. Ishino* 1119
Thermodynamical evaluation of cascade damage evolution by molecular dynamics calculation, *K. Morishita, N. Sekimura, T. Toyonaga and S. Ishino* 1123
Self-ion irradiation of fcc metals to elucidate primary recoil energy dependence of defect structure development during neutron irradiation, *M. Kiritani, H. Kato, M. Hoshino, H. Matsui and N. Matsunami* ... 1128
Effect of helium on defect cluster formation in modified 316 stainless steel irradiated by electron/ion dual beams, *S. Ohnuki, Y. Hidaka, H. Takahashi and A. Hishinuma* 1134

6.3. Point defect processes and evolution of microstructure

The control of point defect processes by the coherent-iron precipitates in copper alloys, *I. Ishida* 1139
Modeling the effects of damage rate and He/dpa ratio on microstructural evolution, *Y. Katoh, R.E. Stoller, Y. Kohno and A. Kohyama* 1144
A comparison of microstructures in copper irradiated with fission, fusion and spallation neutrons, *T. Muroga, H.L. Heinisch, W.F. Sommer and P.D. Ferguson* 1150
Fluctuation effect of point defect reaction on nucleation of interstitial clusters during neutron irradiation, *S. Kojima, T. Yoshiie, K. Hamada, K. Satori and M. Kiritani* 1155
Detection of the role of free point defects from the variation of defect structures near permanent sinks in neutron irradiated metals, *T. Yoshiie, S. Kojima, Y. Satoh, K. Hamada and M. Kiritani* 1160
Modeling of microstructural evolution under cascade damage, *K. Kitajima* 1166
Void swelling in copper and copper alloys irradiated with fission neutrons, *B.N. Singh, A. Horsewell, D.S. Gelles and F.A. Garner* 1172
Tensile property changes of metals irradiated to low doses with fission, fusion and spallation neutrons, *H.L. Heinisch, M.L. Hamilton, W.F. Sommer and P.D. Ferguson* 1177
Effect of additional minor elements on microstructural evolution of neutron irradiated Fe–Cr–Mn alloys, *H. Takahashi, S. Ohnuki and H. Kinoshita* 1183
A study of sink strength of dislocations through kinetics of loop formation under electron irradiation, *K. Nakai, C. Kinoshita and Y. Muroo* 1189
Growth rate of dislocation loop in Fe–Ni–Cr alloy under Kr^+ ion and electron irradiation, *T. Kimoto, C.W. Allen and L.E. Rehn* 1194
Microstructures of neutron-irradiated Fe–12Cr–XMn (X = 15–30) ternary alloys, *K. Miyahara, F.A. Garner and Y. Hosoi* 1198
Microstructural changes in Fe–10Cr–2Mo steel by neutron or charged particle irradiation, *Y. Katoh, Y. Kohno, A. Kohyama and H. Kayano* 1204
Formation of interstitial loops on transmutation products in aluminum, *K. Ono, H. Ogawa, S. Furuno, T. Kino, N. Kamigaki, K. Hojou, Shibatani, Y. Kageyama, K. Mizuno and K. Ito* 1209
Evolution of structural damage in aluminum alloys irradiated with helium ions, *N. Kamigaki, S. Furuno, K. Hojou, K. Ono, E. Hashimoto, K. Izui and T. Kino* 1214
In-situ observation of structural changes in aluminum during He^+ and H_2^+ dual-ion beam irradiation, *S. Furuno, K. Hojou, K. Izui, N. Kamigaki, K. Ono and T. Kino* 1219

6.4. Cavity formation and swelling

Production bias: a proposed modification of the driving force for void swelling under cascade damage conditions, *C.H. Woo, B.N. Singh and F.A. Garner* ... 1224
The influence of temperature on swelling behavior in electron irradiated austenitic stainless steels, *J.P. Qian, L.P. Lu, J.M. Chen, J.G. Sun and Z.Y. Zhao* . 1229
The effect of helium on microstructural evolution and mechanical properties of austenitic steels as determined by spectral tailoring experiments, *N. Sekimura, F.A. Garner and R.D. Griffin* 1234
The influence of helium on mechanical properties of model austenitic alloys, determined using ^{59}Ni isotopic tailoring and fast reactor irradiation, *M.L. Hamilton and F.A. Garner* 1239
Silicon's role in determining swelling in neutron-irradiated Fe–Ni–Cr–Si alloys, *N. Sekimura, F.A. Garner and J.W. Newkirk* 1244

Cavity formation and growth during pulse high heat loading in nickel implanted with helium or deuterium ions, *T. Muroga, K. Dohi, Y. Ishihama, K. Tokunaga and N. Yoshida* 1248
The influence of isotopically controlled boron addition on void swelling of nickel irradiated in FFTF, *T. Muroga and N. Yoshida* 1254
Fission neutron irradiation of copper containing implanted and transmutation produced helium, *B.N. Singh, A. Horsewell, M. Eldrup and F.A. Garner* ... 1259
Helium diffusion and bubble nucleation in the dislocation core during irradiation, *B.N. Singh and A.J.E. Foreman* 1265
In-situ observation of the migration and growth of helium bubbles in aluminum, *K. Ono, S. Furuno, K. Hojou, T. Kino, K. Izui, O. Takaoka, N. Kubo, K. Mizuno and K. Ito* 1269
On the statistical distribution of Cr atoms in Fe–Cr alloys with high swelling resistance in NFR, *P. Gondi, R. Montanari and R. Coppola* 1274
Computer simulation of fundamental features of a bias factor, *E. Kuramoto* 1279
Coarsening of helium bubbles in FeCrNi measured by small angle neutron scattering, *F. Carsughi, W. Kesternich, D. Schwahn, H. Ullmaier and H. Schroeder* 1284
The effect of ion irradiation on inert gas bubble mobility, *D.E. Alexander and R.C. Birtcher* 1289
Swelling and microstructure of high purity nickel irradiated with fast neutrons in EBR-II, *J.F. Stubbins and F.A. Garner* 1295
A microstructural examination of the mechanical response of Fe–Cr–Ni alloys irradiated at 365°C using isotopic tailoring to produce different He/dpa ratios, *J.F. Stubbins and F.A. Garner* 1300
Grain boundary cavities and cracks during high temperature irradiation embrittlement, *V.A. Borodin, V.M. Manichev and A.I. Ryazanov* 1305
A SIPA-based theory of irradiation creep in the low swelling rate regime, *C.H. Woo and F.A. Garner* .. 1309
Observations of deuterium trapping in nickel irradiated by ^{3}He, *I. Takagi, H. Fujita, K. Shin and K. Higashi* 1313
The influence of hydrogen on the formation of helium vacancy voids in metal, *V.V. Kirsanov, M.V. Musina and V.V. Rybin* 1318
The role of minor alloying elements in swelling of 316 steel, *N. Igata, T. Irino and A. Kohyama* 1323
Study of He-bubble growth in MANET steel by small-angle neutron scattering, *G. Albertini, F. Carsughi, R. Coppola, W. Kesternich, G. Mercurio, F. Rustichelli, D. Schwahn and H. Ullmaier* 1327

6.5. Phase stability, diffusion and segregation

Radiation-induced segregation in FFTF-irradiated austenitic stainless steels, *E.A. Kenik and K. Hojou* 1331
Electron irradiation experiments in support of fusion materials development, *D.S. Gelles, S. Ohnuki, H. Takahashi, H. Matsui and Y. Kohno* 1336
Characteristics of point defects and their clustering processes in Fe-Mn-Cr and Fe-Mn-Si-Cr alloys, *H. Inoue, T. Muroga, Y. Miyamoto and N. Yoshida* ... 1342
The effect of helium atoms on radiation-induced segregation in nickel alloys, *T. Ezawa, E. Wakai, T. Tanabe and R. Oshima* 1346
Compositional behavior and stability of MC-type precipitates in JPCA austenitic stainless steel during HFIR irradiation, *M. Suzuki, S. Hamada, P.J. Maziasz, S. Jitsukawa and A. Hishinuma* 1351
Microstructural phase stability of Cu-base alloys under 300 keV Cu^+ ion irradiation, *N. Wanderka, Y. Yuan, L. Jiao, R.P. Wahi and H. Wollenberger* 1356

Section 7. Radiation Facilities, Component Analysis and Component Tests

Experimental facilities for investigation of structural material properties for fusion reactor under irradiation, *G.M. Kalinin, Yu.S. Strebkov, A.V. Sidorenkov, A.P. Zyryanov, V.I. Barsanov, V.V. Shushlebin, V.V. Rybin, V.F. Vinokurov, N.B. Odintsov, V.A. Zykanov, V.K. Shamardin and V.A. Kazakov* 1363
Capability of energy selective neutron irradiation test facility (ESNIT) for fusion reactor materials testing and the status of ESNIT program, *K. Noda, M. Sugimoto, Y. Kato, H. Matsuo, K. Watanabe, T. Kikuchi, H. Usui, Y. Oyama, H. Ohno and T. Kondo* 1367
Destruction of insulators in superconducting magnetic systems for use in thermonuclear reactors due to electrostatic charge under gamma and electron irradiation, *A.I. Akishin, Yu.I. Tutrin and A.G. Khorosh* 1372
Neutron flux enhancement at LASREF, *W.F. Sommer, P.D. Ferguson and M.S. Wechsler* 1374
Conceptual design of irradiation test facility for fusion blanket development, *H. Sagawa, H. Kawamura, S. Shimakawa, H. Nabeya, M. Abe, T. Kurasawa, H. Yoshida, Y. Ichihashi, I. Tanaka and Y. Futamura* . 1379
Comparison of measured and calculated transmutation in copper at spallation neutron sources, *T.B. O'Hearn, A.S. Kumar and L.R. Greenwood* 1383
Neutron and plasma irradiations of fusion reactor materials using fusion plasma neutron sources, *T. Kawabe, H. Yamaguchi, N. Mizuno, H. Sagawa, N. Tachikawa and S. Hirayama* 1387
Damage of first wall materials of fusion reactor during plasma disruption, *L.I. Ivanov, V.N. Pimenov and J.M. Platov* 1392

Section 8. Materials Issues in Tokamak Test Machines and in Near-Term Machines

Materials issues in diagnostic systems for BPX and ITER, *F.W. Clinard, Jr., E.H. Farnum, D.L. Griscom, R.F. Mattas, S.S. Medley, F.W. Wiffen, S.S. Wojtowicz, K.M. Young and S.J. Zinkle* 1399
Fatigue life assessment of 316L stainless steel and DIN-1.4914 martensitic steel before and after TEXTOR exposure, *J.I. Shakib, H. Ullmaier, E.A. Little, W. Schmitz, R.G. Faulkner and T.E. Chung* 1404
Fatigue crack growth in 316 type stainless steel at temperatures and displacement damage rates representative for the first wall loading, *P. Fenici and S. Suolang* 1408

A simple boronization technique for T-3M and T-11M tokamak chambers, *O.I. Buzhinsky, E.A. Azizov, A.M. Belov, S.A. Grashin, A.V. Krasilnikov, I.A. Kovan, C.V. Mirnov, A.A. Petrov, V.G. Petrov, D.V. Portnov, T.S. Pulinets, A.N. Romannikov, A.A. Skvortsova, S.M. Sotnikov, S.N. Tugarinov, S.I. Fedorenko, A.P. Chernobaj, A.I. Kanaev, V.M. Sharapov, S.Y. Rybakov, A.E. Gorodetsky, A.P. Zakharov, A.A. Vasilyev, S.N. Luzganov, V.P. Fokin and A.N. Chulkov* 1413

Test of the boron-containing coating of the graphite limiter in the T-10 tokamak, *V.A. Barsuk, O.I. Buzhinskiy, V.A. Vershkov, S.A. Grashin, V.M. Gureev, M.I. Guseva, V.E. Neumoin, I.V. Opimach, E.N. Kurolenkin, R.U. Mametiev, E.V. Tupizina and V.N. Sharupin* 1417

Quality evaluation of graphites and carbon/carbon composites during production of JT-60U plasma facing materials, *T. Ando, K. Kodama, M. Yamamoto, T. Arai, A. Kaminaga, H. Horiike, M. Eto, K. Fukaya, T. Kiuchi, K. Teruyama, I. Nanai, S. Hanai, S. Ninomiya and M. Tezuka* 1423

Preliminary design study of the target and lithium circulation system for ESNIT, *Y. Kato, K. Watanabe and T. Kondo* 1428

Accelerator system for the energy selective neutron irradiation test facility (ESNIT), *M. Sugimoto, K. Noda, H. Ohno and T. Kondo* 1432

Section 9. Low-activation Criteria

Toward improved guidelines for reduced activation materials development in the US, *D.G. Doran* ... 1439

Production of high-purity vanadium, chromium and titanium for use in low activation materials, *D. Murphy and G.J. Butterworth* 1444

Low activation structural materials for ICF reactors: differences with MCF environments, *J. Sanz, J.M. Perlado, A.S. Pérez and D. Guerra* 1450

Neutron activation of elements and the radiological implications for development and use of low activation materials, *G.M. Smith and G.J. Butterworth* .. 1455

Environmental problems of application of iron as a base material of low activating steels for fusion and fission reactors, *E.V. Dyomina, V.V. Ivanov, L.I. Ivanov, V.P. Kolotov and Yu.M. Platov* 1461

Activation calculation for a tokamak engineering test breeder, *K.M. Feng* 1464

Activation analyses for different fusion structural alloys, *H. Attaya and D. Smith* 1469

Silicon carbide and the new low activation requirements for a fusion reactor first wall, *P. Rocco, H.W. Scholz and M. Zucchetti* 1474

Author index 1481

Subject index 1501